


Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 3

In The Claims

Please amend the claims by replacing all prior versions, and listings, of claims pursuant to 37 C.F.R. §1.121 as modified by 68 Fed. Reg. 38611 (June 30, 2003) as follows:

1. (Currently Amended) A compound having the formula:



wherein R_1 and R_4 is H, a C_1 to C_4 alkyl group, or an acetyl group $C(O)(C_1-C_4\text{ alkyl})$ or benzyl;

wherein R₂ is H, OH, an ether O(C₁-C₄ alkyl), O-benzyl, ester OC(O)H, OC(O)(C₁-C₆ alkyl), OC(O)benzyl, OSi(CH₃)₂(t-butyl), amide, aromatic group, or a phthalimide group, or a substituted phthalimide group;

wherein R₃ is =O, OH, an ether group, an acyl group, or a sulfide group O(C₁-C₄ alkyl), OC(O)(C₁-C₂ alkyl), or OC(O)benzyl;

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 4

wherein R_5 is H, halogen, OH, or $-\text{OC}_{(2-6)}$ alkyl group - $\text{OC}_{(1-6)}$ alkyl group, an ether group, an acyl group, or an amide group ;

wherein R_6 is =O, OH, OCH_3 , CN, or an acyloxy group OC(O)H , $\text{OC(O)(C}_1\text{-C}_5\text{ alkyl)}$, or OC(O)benzyl ;

wherein R_7 , is H, =O, OH, or halogen, an ether group, or an acyl group ;

wherein R_8 and R_9 are independently H, CH_3 , OCH_3 , OC_2H_5 , Br, F, or CF_3 ;


wherein R_{10} and R_{11} are independently CH_3 , OCH_3 , OC_2H_5 , SCH_3 , or SC_2H_5 ;

wherein R_{12} is H, a C_1 to C_4 alkyl group, or an acyl group $\text{C(O)(C}_1\text{-C}_4\text{ alkyl)}$; and

wherein the chiral center marked * has the R or the S configuration.

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 5

2. (Currently Amended) The compound of claim 1, having the formula:



wherein R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 , R_8 , and R_9 are defined as in claim 1

wherein R_1 and R_4 is H, a C_1 to C_4 alkyl group, $C(O)(C_1-C_4)$ alkyl) or benzyl;

wherein R_2 is H, OH, $O(C_1-C_4)$ alkyl), O-benzyl, $OC(O)H$, $OC(O)(C_1-C_6)$ alkyl), $OC(O)$ benzyl, $OSi(CH_3)_2$ (t-butyl), or a phthalimide group;

wherein R_3 is =O, OH, $O(C_1-C_4)$ alkyl), $OC(O)(C_1-C_2)$ alkyl), or $OC(O)$ benzyl;

wherein R_5 is H, halogen, OH, or $-OC_{(1-6)}$ alkyl group;

wherein R_6 is =O, OH, OCH_3 , CN, $OC(O)H$, $OC(O)(C_1-C_5)$ alkyl), or $OC(O)$ benzyl;


wherein R_7 is H, =O, OH, or halogen;

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 6

wherein R₈ and R₉ are independently H, CH₃, OCH₃, OC₂H₅, Br, F, or CF₃; and
wherein the chiral center marked * has the R or the S
configuration.

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 7

3. (Currently Amended) The compound of claim 2, having the formula:



wherein R₁, R₂, R₃, R₄, R₅, R₆, and R₇ are defined as in claim 1

wherein R₁ and R₄ is H, a C₁ to C₄ alkyl group, C(O)(C₁-C₄ alkyl) or benzyl;

wherein R₂ is H, OH, O(C₁-C₄ alkyl), O-benzyl, OC(O)H, OC(O)(C₁-C₆ alkyl), OC(O)benzyl, OSi(CH₃)₂(t-butyl), or a phthalimide group;

wherein R₃ is =O, OH, O(C₁-C₄ alkyl), OC(O)(C₁-C₂ alkyl), or OC(O)benzyl;

wherein R₅ is H, halogen, OH, or -OC₍₁₋₆₎ alkyl group;

wherein R₆ is =O, OH, OCH₃, CN, OC(O)H, OC(O)(C₁-C₅ alkyl), or OC(O)benzyl;

wherein R₇ is H, =O, OH, or halogen and

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 8

wherein the chiral center marked * has the R or the S configuration.

4. (Original) The compound of claim 3, wherein R₁ is CH₃, R₃ is =O, R₄ is CH₃, R₅ is OCH₃, R₆ is =O, and R₇ is H.

5. (Original) The compound of claim 4, wherein R₂ is OC(O)H.

6. (Original) The compound of claim 4, wherein R₂ is H.

7. (Original) The compound of claim 4, wherein R₂ is OH.

8. (Currently Amended) The compound of claim 4, wherein R₂ is -O-benzene -O-benzyl.

9. (Original) The compound of claim 4, wherein R₂ is OCOCH₃.

10. (Original) The compound of claim 4, wherein R₂ is -O-t-butyldimethylsilyl.

11. (Original) The compound of claim 4, wherein R₂ is -O-Pivaloyl.

12. (Original) The compound of claim 3, wherein R₁ is H, R₃ is =O, R₄ is CH₃, R₅ is OCH₃, R₆ is =O, and R₇ is H.

13. (Original) The compound of claim 12, wherein R₂ is -O-pivaloyl.

14. (Currently Amended) The compound of claim 3, wherein R₁ is H, R₃ is =O, R₄ is benzene{f₃} benzyl, R₅ is OCH₃, R₆ is

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 9

=O, and R₇ is H.

15. (Original) The compound of claim 3, wherein R₁ is H, R₃ is =O, R₄ is H, R₅ is OCH₃, R₆ is =O, and R₇ is H.


16. (Original) The compound of claim 3, wherein R₁ is H, R₃ is =O, R₄ is H, R₅ is H, R₆ is =O, and R₇ is H.

17. (Original) The compound of claim 3, wherein R₃ is =O, R₄ is H, R₅ is halogen, R₆ is =O, and R₇ is H.

18. - 32. (Canceled)

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 10

33. (Currently Amended) A compound having the formula:



wherein R₁ and R₄ is H, a C₁ to C₄ alkyl group, or an acyl group C(O) (C₁-C₄ alkyl) or benzyl;

wherein R₂ is H, OH, an ether O(C₁-C₄ alkyl), O-benzyl, ester OC(O)H, OC(O) (C₁-C₆ alkyl), OC(O)benzyl, OSi(CH₃)₂(t-butyl), amide, aromatic group, or a phthalimide group, or a substituted phthalimide group;

wherein R₅ is H, halogen, OH, an ether group, an acyl group, or an amide group or O(C₁-C₆ alkyl);

wherein R₆ is =O, OH, OCH₃, CN, or an acyloxy group OC(O)H, OC(O) (C₁-C₄ alkyl), or OC(O)benzyl;


wherein R₇ is H, =O, OH, or halogen, an ether group, or an acyl group;

wherein R₈ and R₉ are independently H, CH₃, OCH₃, OC₂H₅, Br, F, or CF₃;

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 11

wherein R_{10} and R_{11} are independently CH_3 , OCH_3 , OC_2H_5 , SCH_3 , or SC_2H_5 ; and
wherein R_{12} is H , a C_1 to C_4 alkyl group, or an acyl group $OC(O)$ benzyl.

34. (Original): The compound of claim 33, having the formula:



wherein R_1 , R_2 , R_4 , R_5 , R_6 , R_7 , R_8 and R_9 are defined as in claim 33

wherein R_1 and R_4 is H , a C_1 to C_4 alkyl group, $C(O)(C_1-C_4$ alkyl) or benzyl;

wherein R_2 is H , OH , $O(C_1-C_4$ alkyl), O -benzyl, $OC(O)H$, $OC(O)(C_1-C_6$ alkyl), $OC(O)benzyl$, $OSi(CH_3)_2(t$ -butyl), or a phthalimide group;


wherein R_5 is H , halogen, OH , or $O(C_1-C_6$ alkyl);

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 12

wherein R₆ is =O, OH, OCH₃, CN, OC(O)H, OC(O)(C₁-C₄ alkyl),
or OC(O)benzyl;
wherein R₇, is H, =O, OH, or halogen; and
wherein R₈ and R₉ are independently H, CH₃, OCH₃, OC₂H₅,
Br, F, or CF₃.

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 13

35. (Currently Amended) The compound of claim 34, having the formula:



wherein R₁, R₂, R₄, R₅, R₆, and R₇ are defined as in claim 33

wherein R₁ and R₄ is H, a C₁ to C₄ alkyl group, C(O)(C₁-C₄ alkyl) or benzyl;

wherein R₂ is H, OH, O(C₁-C₄ alkyl), O-benzyl, OC(O)H, OC(O)(C₁-C₆ alkyl), OC(O)benzyl, OSi(CH₃)₂(t-butyl), or a phthalimide group;

wherein R₅ is H, halogen, OH, or O(C₁-C₆ alkyl);

wherein R₆ is =O, OH, OCH₃, CN, OC(O)H, OC(O)(C₁-C₄ alkyl), or OC(O)benzyl; and

wherein R₇ is H, =O, OH, or halogen.

36. (Original) The compound of claim 35, wherein R₁ is CH₃, R₄

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 14

is CH₃, R₅ is OCH₃, R₆ is =O, and R₇ is H.

37. (Original) The compound of claim 36, wherein R₂ is OC(O)H.

38. (Original) The compound of claim 36, wherein R₂ is H.

39. (Original) The compound of claim 36, wherein R₂ is OH.

40. (Currently Amended) The compound of claim 36, wherein R₂ is -O-benzene -O-benzyl.

41. (Original) The compound of claim 36, wherein R₂ is OCOCH₃.

42. (Original) The compound of claim 36, wherein R₂ is -O-*t*-butyldimethylsilyl.

43. (Original) The compound of claim 36, wherein R₂ is -O-Pivaloyl.

44. (Original) The compound of claim 35, wherein R₁ is H, R₄ is CH₃, R₅ is OCH₃, R₆ is =O, and R₇ is H.

45. (Original) The compound of claim 44, wherein R₂ is -O-pivaloyl.

46. (Currently Amended) The compound of claim 35, wherein R₁ is H, R₄ is benzene[₃] benzyl, R₅ is OCH₃, R₆ is =O, and R₇ is H.

47. (Original) The compound of claim 35, wherein R₁ is H, R₄ is H, R₅ is OCH₃, R₆ is =O, and R₇ is H.

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 15


48. (Original) The compound of claim 35, wherein R₁ is H, R₄ is H, R₅ is H, R₆ is =O, and R₇ is H.

49. (Original) The compound of claim 35, wherein R₁ is H, R₄ is H, R₅ is halogen, R₆ is =O, and R₇ is H.

50. - 83. (Canceled)

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 16

84. (Currently Amended) A compound having the formula:



wherein R₁ and R₄ is H, a C₁ to C₄ alkyl group, or an acyl group C(O)(C₁-C₄ alkyl) or benzyl;

wherein R₂ is H, OH, an ether O(C₁-C₄ alkyl), O-benzyl, ester OC(O)H, OC(O)(C₁-C₆ alkyl), OC(O)benzyl, or OSi(CH₃)₂(t-butyl) amide, aromatic group;

wherein R₃ is =O, OH, H, an ether group, an acyl group, or a sulfide group O(C₁-C₄ alkyl), OC(O)(C₁-C₂ alkyl), or OC(O)benzyl;

wherein R₅ is H, halogen, OH, or -OC₍₂₋₆₎ alkyl group, an ether group, an acyl group, or an amide group;

wherein R₆ is H, =O, OH, OCH₃, CN, or an acyloxy group OC(O)H, OC(O)(C₁-C₄ alkyl), or OC(O)benzyl;

wherein R₇ is H, =O, OH, OCH₃, or halogen, an ether group, or an acyl group;

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 17


wherein R_8 and R_9 are independently H, CH_3 , OCH_3 , OC_2H_5 , Br, F, or CF_3 ;

wherein R_{10} and R_{11} are independently CH_3 , OCH_3 , OC_2H_5 , SCH_3 , or SC_2H_5 ;

wherein R_{12} is H, a C_1 to C_4 alkyl group, or an ~~acyl~~ group $C(O)(C_1-C_4\text{ alkyl})$; and

wherein the chiral center marked * has the R or the S configuration.

85. (Currently Amended) The compound of claim 84, having the formula:



wherein R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 , R_8 , and R_9 are defined as in claim 84


wherein R_1 and R_4 is H, a C_1 to C_4 alkyl group, $C(O)(C_1-C_4\text{ alkyl})$ or benzyl;

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 18

wherein R₂ is H, OH, O(C₁-C₄ alkyl), O-benzyl, OC(O)H, OC(O)(C₁-C₆ alkyl), OC(O)benzyl, or OSi(CH₃)₂(t-butyl);
wherein R₃ is =O, OH, H, O(C₁-C₄ alkyl), OC(O)(C₁-C₂ alkyl), or OC(O)benzyl;
wherein R₅ is H, halogen, OH, or -OC₍₂₋₆₎ alkyl group;
wherein R₆ is H, =O, OH, OCH₃, CN, OC(O)H, OC(O)(C₁-C₄ alkyl), or OC(O)benzyl;
wherein R₇ is H, =O, OH, OCH₃, or halogen;
wherein R₈ and R₉ are independently H, CH₃, OCH₃, OC₂H₅, Br, F, or CF₃; and
wherein the chiral center marked * has the R or the S configuration.

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 19

86. (Currently Amended) The compound of claim 85, having the formula:



wherein R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , and R_7 are defined as in claim 84

wherein R_1 and R_4 is H, a C_1 to C_4 alkyl group, $C(O)(C_1-C_4)$ alkyl) or benzyl;

wherein R_2 is H, OH, $O(C_1-C_4)$ alkyl), O-benzyl, $OC(O)H$, $OC(O)(C_1-C_6)$ alkyl), $OC(O)$ benzyl, or $OSi(CH_3)_2$ (t-butyl);

wherein R_3 is =O, OH, H, $O(C_1-C_4)$ alkyl), $OC(O)(C_1-C_2)$ alkyl), or $OC(O)$ benzyl;

wherein R_5 is H, halogen, OH, or $-OC_{(2-6)}$ alkyl group;

wherein R_6 is H, =O, OH, OCH_3 , CN, $OC(O)H$, $OC(O)(C_1-C_4)$ alkyl), or $OC(O)$ benzyl;

wherein R_7 is H, =O, OH, OCH_3 , or halogen; and


Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 20

wherein the chiral center marked * has the R or the S configuration.

87. (Currently Amended) The compound of claim 86, wherein R₁ is H, R₂ is OH, R₃ is H, R₄ is H, R₅ is H, R₆ is =O, and R₇ is H (~~Compound 113~~).
88. (Original) The compound of claim 86, wherein R₃ is H, R₄ is CH₃, R₅ is OCH₃, and R₇ is H.
89. (Original) The compound of claim 88, wherein R₂ is OH.
90. (Currently Amended) The compound of claim 89, wherein R₆ is H and R₁ is CH₃ (~~Compound 107~~).
91. (Currently Amended) The compound of claim 89, wherein R₆ is =O and R₁ is H (~~Compound 104~~).
92. - 120. (Canceled)

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial No. : 10/728,580
Filed : December 5, 2003
Page 21

121. (New) A compound having the formula:



wherein R₁ and R₄ is H, a C₁ to C₄ alkyl group, C(O)(C₁-C₄ alkyl) or benzyl;

wherein R₂ is H, OH, O(C₁-C₄ alkyl), O-benzyl, OC(O)H, OC(O)(C₁-C₆ alkyl), OC(O)benzyl, or OSi(CH₃)₂(t-butyl);

wherein R₃ is H;

wherein R₅ is H, halogen, OH, or -OC₍₁₋₆₎ alkyl group;

wherein R₆ is H, =O, OH, OCH₃, CN, OC(O)H, OC(O)(C₁-C₄ alkyl), or OC(O)benzyl;

wherein R₇ is H, =O, OH, OCH₃, or halogen;

wherein R₈ and R₉ are independently H, CH₃, OCH₃, OC₂H₅, Br, F, or CF₃;

wherein R₁₀ and R₁₁ are independently CH₃, OCH₃, OC₂H₅, SCH₃, or SC₂H₅;

wherein R₁₂ is H, a C₁ to C₄ alkyl group, or C(O)(C₁-C₄ alkyl); and

Applicants : Samuel J. Danishefsky and Bishan Zhou
Serial N^o. : 10/728,580
Filed : December 5, 2003
Page 22

wherein the chiral center marked * has the R or the S configuration.